

# How to program in colorForth cf2022

## Contents

Introduction.....	1
Step 1 Download and run colorForth .....	2
Step 2 Edit block 498 .....	6
Step 3 Enter the program.....	8
Step 4 Save your work.....	10
Step 5 Load and run the program .....	11
Step 6 More features.....	12
Step 7 Save Your Work part 2 .....	13
Appendix A Useful Commands .....	14

## Introduction

This is a tutorial on how to program in colorForth under Windows, using the [cf2022](#) system that I distribute and support.

[colorForth](#) is a dialect of the [Forth](#) programming language, both of which languages were invented by Charles H. “Chuck” Moore ; - Forth around 1968, and colorForth in the late 1990’s.

The file [cf2022\\_colorForth.pdf](#) gives a more detailed explanation.

colorForth is not like anything else.

When you press a key in colorForth something happens. Exactly what happens depends on the current state of the system, and this system state is displayed on the screen. In the abstract, this is true of every computer program – the difference with colorForth is that it is complete – there is nothing else going on.

[cf2022](#) is and always will be work in progress. I hope to add version control, strings etc. etc. but without losing colorForth’s amazing simplicity.

My intention in supporting colorForth is to make it accessible to as many people as possible.

Feedback welcome [howerd@inventio.co.uk](mailto:howerd@inventio.co.uk) [www.inventio.co.uk](http://www.inventio.co.uk).

Have fun!

Howerd Oakford


Step 1 Download and run colorForth using the file “cf2022.7z” from :

<http://www.inventio.co.uk/colorforth/> or by clicking [here](#) :


[https://www.inventio.co.uk/cf2022/cf2022\\_2022Sep24.7z](https://www.inventio.co.uk/cf2022/cf2022_2022Sep24.7z)

Unzip the file on a computer running Windows, for example into the folder cf2022.

Double click on **go.bat** .



Press the Enter key on the keyboard or click on OK to allow Bochs to run in full screen mode :



Note : you can press Alt-Enter on the keyboard to exit full screen mode, and from there you can click on the Power button to close Bochs.

The colorForth logo will flash briefly, then you should see block 64 in the colorForth editor :

```

colorforth cf2022 2022 Apr 08 64
processor clock mhz 4
dump x 5952 y 0 ld blk 64
2 12 +thru
dump 78 load ;
icons 80 ld ;          serve 506 ld ;
north 92 ld ;         rtc 96 ld ;
lan 98 ld ;           colors 102 ld ;
wood 106 ld ;        mand 108 ld ;
sound 114 ld ;       gr 118 ld ;
eth 176 ld ;         life 272 ld ;
ed 252 ld ;          slime 246 ld ;
int 288 ld ;         xx 278 load ;
info ver dump ;      staks 504 ld ;

hardware rng 0
chm -- 0 mhz ! $1740 x ! 0 y ! 64 blk ! $10000
ch n-- 64 block swap md5 dump ;
hlp randq rng ! logo pause calkhz
  onsec @ 1000 / mhz ! e ;
mark empty hlp

Press the * key to see the comment block
Press F1
1 1 123
                                     ;;!@ 123
                                     zj., 4560
                                     */+- 789?
                                     +   x.a

```

Press the F4 key on the keyboard to select colour-blind mode :

```

colorforth cf2022 2022 Apr 08 ) 64
( processor clock ) [ mvar mhz 4 ]
( dump ) [ mvar x 5952 y 0 ] ( ld ) [ mvar blk 64
]
[ 2 12 +thru ]
: dump 78 load ;
: icons 80 ld ;          : serve 506 ld ;
: north 92 ld ;         : rtc 96 ld ;
: lan 98 ld ;           : colors 102 ld ;
: wood 106 ld ;        : mand 108 ld ;
: sound 114 ld ;       : gr 118 ld ;
: eth 176 ld ;         : life 272 ld ;
: ed 252 ld ;          : slime 246 ld ;
: int 288 ld ;         : xx 278 load ;
: info ver dump ;      : staks 504 ld ;

( hardware ) [ mvar rng 0 ]
: chm ( -- ) 0 mhz ! $1740 x ! 0 y ! 64 blk ! $100
00
: ch ( n-- ) 64 block swap md5 dump ;
: hlp randq rng ! logo pause calkhz
  onsec @ [ 1000 ] / mhz ! e ;
[ mark empty hlp ]

( Press the * key to see the comment block
( Press F1 )
                                     SCt yrgx
                                     <f>|j <↑↓>
                                     ab -mc+
                                     x.i

```

Colour-blind mode adds ‘:’ to red words, ‘(’ and ‘)’ around comments and ‘[’ and ‘]’ around immediate words.

This makes the code look more like conventional Forth, and makes it usable by colour-blind people.

Press the space bar on the keyboard to exit the colorForth Editor :

```
colorforth cf2022 2022 Apr 08 64
processor clock mhz 4
dump x 5952 y 0 ld blk 64
2 12 +thru
dump 78 load ;
icons 80 ld ;
north 92 ld ;
lan 98 ld ;
wood 106 ld ;
sound 114 ld ;
eth 176 ld ;
ed 252 ld ;
int 288 ld ;
info ver dump ;
serve 506 ld ;
rtc 96 ld ;
colors 102 ld ;
mand 108 ld ;
gr 118 ld ;
life 272 ld ;
slime 246 ld ;
xx 278 load ;
staks 504 ld ;

hardware rng 0
chm -- 0 mhz ! $1740 x ! 0 y ! 64 blk ! $10000
ch n-- 64 block swap md5 dump ;
hlp randq rng ! logo pause calkhz
    onsec @ 1000 / mhz ! e ;
mark empty hlp

Press the x key to see the comment block
Press F1


pyfi gcrl
aeu htns
qkxd bmwv
9x
```

Notice the yellow [keypad](#) in the bottom right-hand corner showing “pyfi gcrl” etc. Yellow means “immediate” – whatever you type will be executed immediately when you press the space bar. Note that the two orange lines above and below the keypad (that indicate editor mode) are no longer there.

From now on, refer to the [keypad](#) to select which character to type, not the [keyboard](#). You can read [cf2022\\_colorForth.pdf](#) for a more detailed explanation.



Figure 1 The Keyboard



*Figure 2 The Keypad*

The “9\*” on the bottom row of the keypad means that the Space bar will change to number mode (‘9’), and the small ‘x’ means that the AltGr key will change to alternate characters (such as \*). The asterisk character ‘\*’ looks like a small ‘x’, because it represents multiplication. The ‘N’ key on the [keyboard](#) is often used to exit a mode.


The actions for each of the 27 keys of the keyboard that are used is hinted at by the corresponding character on the [keypad](#).

There is no underscore character ‘\_’, so I will use it in the instructions below to mean “press the space bar”.

## Step 2 Edit block 498

Block 498 is where we will put our new program. Blocks 0 to 31 contain the primitive words of the colorForth system, blocks 32 to 63 contain the Forth words for the colorForth system, blocks 64 to 511 contain Apps.

```
_ \ press the space bar on the keyboard to enter number mode
```



*Figure 3 The keypad in number mode, showing keyboard keys*


```
498 \ press the number keys to enter a number
```

This means, press the 'I' key, then the 'K' key on the keyboard, then whatever key is marked to the right of the 'L' key. On a German QWERTZ keyboard this is an 'Ö', on a QWERTY keyboard this is a ';'.

Press the space bar again to go back to text mode – this is hinted at by the 'a' on the [keypad](#) :

```
_ \ press the space bar on the keyboard to exit number mode
```


Now there is the number '498' on the stack :



```
edit_ \ type "edit" to edit block 498 (the '_' means the space bar)
```

To type "edit" you must press the keys DVRK on the [keyboard](#), but it is best to try to forget about the [keyboard](#) and focus on the [keypad](#). Note that the [keypad](#) is changing all the time.

The screen should now look like this :



Top left is the orange cursor that shows where the next Forth word will be inserted.

Top right is the block number being edited, 498 in this case. This block is currently empty.


Bottom left shows the stack, which is also empty at the moment (it used to look like [this](#)).

The orange lines above and below the keypad show that we are in edit mode.

The word “edit” to the left of the keypad shows the last Forth word that was entered. As each character of a word is typed the character’s value is accumulated on the stack, and the text representation of this accumulated value is shown to the left of the keypad.

If you have exited the editor and want to get back, type “e” in yellow immediate mode, (then the space bar) to edit the last block that was edited.

We are now editing block 498, using the main editor keypad :



*Figure 4 The main editor keypad*

### Step 3 Enter the program

To define a new Forth word we need to enter a red name, so press 'r' on the [main editor keypad](#) (that is the 'l' key on the [keyboard](#)). There is no need to type a colon (':' ) because in colour-blind mode one is automatically added.




Figure 5 Creating the Forth word "fib", before pressing Space

Above shows the screen after having typed "fib", but before pressing the space bar. The name "fib" is on top of the stack as a Huffman compressed value (46051), and is shown decompressed further to the right as "fib".




Figure 6 Creating the Forth word "fib", after pressing Space

After pressing the space bar, the value on the stack (45061) has been removed and copied to the cursor position in the block. The editor displays the value in the first 32 bits of the block as the red text (with a ':') "fib".

The editor keypad has now gone green, indicating compiling mode. Note the 'g' in the bottom right of the keypad, indicating green (it was previously a red 'r').

The cursor has now moved until after the ": fib" text. There is no space character in the colorForth Huffman compressed 32 bit values, but one will be added automatically by the editor when the next word is displayed.

Now we can enter the green (compiled) code for the new Forth word : fib push 1 dup pop -2 +





***It takes some practice to enter text and numbers using the keypad!***

To enter the number '1' press the space bar without entering any other characters – this enters number mode.

Press the '1' using the keypad ('U' on the keyboard) and then the space bar. To enter '-2' press the '-' on the keypad ('N' on the keyboard) then the number '2' ('1' on the keyboard). Then press the space bar.




Figure 7 Number keypad

To type the '+' character, press '\*' on the keypad (Alt-Gr on the keyboard) to enter [alternate character](#) mode :





Figure 8 Alternate character keypad

Then press the '+' key on the keypad (the 'C' key on the keyboard) and then the space bar.

## Step 4 Save your work

Having spent some time on entering part of the program, it is now a good time to save your work.

Exit the editor by pressing the '.' key on the keypad (the 'N' key on the keyboard), then press the space bar until you get back to the yellow immediate keypad :

```
pyf i gcr l
aoeu ht ns
qkxd bmwv
9x
```

Type "sa" on the keypad, then the space bar. The cf2022 system will be saved to the file cf2022.img.

```
pyf i gcr l
aoeu ht ns
qkxd bmwv
9x
sa
```

Typing "sa" returns to the editor so you can add more words.

```
tib push 1 dup pop -2 + 498
.....
SCt yrgx
j ludr
ab -nc+
sa x.i
```

If you switch off Bochs and run **go.bat** again the cursor will have been reset to the start of the block. Use the "ludr" keys on the keypad, or the arrow keys on the keyboard, to move the cursor to after the "+". The Home and End keys (Pos1 and Ende on a German keyboard) also move the cursor to the beginning and end of the code.

Then you can press 'r' on the keypad to enter a new red definition.

```
: f -if drop nip ; then push swap over + pop -1 + f ;
```

Note that the '-' in "-if" is an alternate character, not a number, you must enter it using the [alternate character keypad](#).

But the '-' in "-2" is a number and must be entered using the [number keypad](#) (press the '-' key before the '2').

[Save your work again!](#)

## Step 5 Load and run the program

Exit the editor again by pressing the space bar, then type “ll” to load the current block.

“ll” is one of many double-letter words – see [Appendix A Useful Commands](#) to see a list.

Press the space bar to view immediate number keypad, press ‘8’ on the keypad (for example), then the space bar, then type “fib” to calculate the 8<sup>th</sup> Fibonacci number.

1,2,3,5,8,13,21,34,55,89,144,233,377,610,987,1597,2584....

```
fib push 1 dup pop -2 +
f -if drop nip ; then push swap over + pop -1 + f ;
)

8 46051
fib x.x
pyfi gcrl
aoeu htns
qkxd bmwv
```

You can see the number 8 on the stack, then the Huffman compressed word “fib” (46051). Pressing the space bar gives the answer on the stack : 34.

Note that I pressed F4 on the keyboard to leave colour-blind mode – the code fits better on one line.

```
34
fib x.x
pyfi gcrl
aoeu htns
qkxd bmwv
9x
```

## Step 6 More features

You can add comments, stack comments and blue words (to format the text on the display) :

```
( App: Fibonacci ) 250
: fib ( n-- ) push 1 dup pop -2 +
: f ( x...x ) -if drop nip ; cr
... then push swap over + pop -1 + f ; cr
[ 8 fib ]
```

Press F3 to enable/disable the display of blue words. Press F4 to enable/disable colour-blind mode.

An alternative display looks like this :

```
App: Fibonacci 250
fib n-- push 1 dup pop -2 +
f x...x -if drop nip ;
then push swap over + pop -1 + f ;
8 fib)
```

It is good practice to add a shadow block to explain what the App is doing :

```
Calculates the nth Fibonacci number 251
```

Shadow blocks are in odd-numbered blocks, the Forth code is in even-numbered blocks, you can toggle between the two using the '\*' key in the main editor keypad.

The yellow immediate words [ 8 fib ] get executed when the block is loaded, so the answer 34 will get put on the stack. This saves some typing ;-)

The white comment on the top line "App: Fibonacci" marks this block as a cf2022 App.

Note that the first word must be exactly as written "App:" using the Capital 'C' mode in the main editor keypad.

Running the colorForth explorer App by typing "xx" shows all the Apps in the system :

```
colorforth Explorer
20 Colors
24 Wood
28 Mandelbrot Set
32 Sounds make a noise
144 Ethernet
214 Slime : simple game
220 colorforth editor
240 Conways Game of Life
245 colorforth Explorer
250 Fibonacci fib n--
256 Timer Interrupt
258 Sounds
260 Test block :
262 Serial terminal
264 Mouse test
270 Floppy disk drive

e ?
- +
34 34 xx . *
```

Use the '-' and '+' keys on the keypad to highlight an App, then press the space bar to run it. You can see that I ran the Fibonacci App twice, leaving two answers on the stack.

## Step 7 Save Your Work part 2

***When you are happy with your program, you really must save it again in a different way.***

Typing “sa” or similar words such as “ss” and “save” copies the code that you have written (which is in RAM) to the file **cf2022.img** on disk.

You must make a copy of **cf2022.img** as a backup, because running the file **goc.bat** will overwrite it and **delete all of your work.**

**goc.bat** compiles the system and then runs it, but it uses the reference copy of the system **cf2022Ref.img** as the source to create a new **cf2022.img**. **goc** is short for **go\_compile**. **go.bat** just runs **cf2022**.

I like to use Windows to copy the file **cf2022.img** to the file **cf2022\_2022Sep24.img** for example – a crude form of version control.

There is also a batch file **new.bat** that copies **cf2022.img** to **cf2022Ref.img** :

```
copy /b .\cf2022.img .\cf2022Ref.img
```

Running **new.bat** will make your new program a part of the **cf2022** system, so that running **goc.bat** will not delete it.

Note that running **goc.bat** restores the system to its “factory defaults” – you can use “xx” to find your App, or “498 edit” to view the code.

## Appendix A Useful Commands

Command	Action
e	Run the Editor displaying the last block edited
64 edit	Run the colorForth Editor displaying block 64
xx	Run the colorForth Explorer
ll	Load the current block displayed by the Editor
vv	View the last block loaded by the command ll
uu	Undo all changes to the current block
ss	Save the current block to disk
save	Save the entire system to disk. You can change the USB stick to save a backup.
sa	Save and return to the Editor
logo	Show the colorForth logo screen
empty	Remove all compiled definitions since mark was called
mark	Mark the current system state for empty
\$1000 dump	Dump the 16 32 bit cells starting at address \$1000
bye	Exit the system, discarding all edits since the last save, sa or ss
hlp	Update the hardware system info and display the start block. This is currently block 64, and displays a list of Apps.
life	Run the Conway's Game of Life demo. Press the space bar to exit (marked by a '.' In the keypad mnemonic), then type xx and press the space bar. Scroll to "Conways Game of Life" and press the e key to view the source code, then press the '*' key in the Editor to view the documentation shadow block.
staks	Display the four task's stacks. 'U' means Unused, '.' means used. Checks that the stacks are not growing or shrinking...
chm	Check MD5 – shows the MD5 of the system blocks 64 to 127

You can also use the cursor control keys in the editor or the arrow, Home and End keys to move the cursor immediately after a red word (in either Editor or Interpret mode), then press the Enter Key (on the QWERTY or QWERTZ keyboard, not the keypad) to execute that word.

You can download [colorForth cf2022](https://www.inventio.co.uk/cf2022_2022Sep24.7z), together with Bochs for running it under Windows here: [https://www.inventio.co.uk/cf2022\\_2022Sep24.7z](https://www.inventio.co.uk/cf2022_2022Sep24.7z)

More [colorForth](https://www.inventio.co.uk/colorforth/) options here: <https://www.inventio.co.uk/colorforth/>

Enjoy!

Howerd Oakford 2022 Sep 24